

§ 585.614

revised plan making the necessary corrections, and may suspend the term of your lease, as appropriate, to allow this to occur.

ACTIVITIES UNDER AN APPROVED SAP

§ 585.614 When may I begin conducting activities under my approved SAP?

(a) You may begin conducting the activities approved in your SAP following BOEM approval of your SAP.

(b) If you are installing a facility or a combination of facilities deemed by BOEM to be complex or significant, as provided in § 585.613(a)(1), you must comply with the requirements of subpart G of this part and submit your Safety Management System required by § 585.810 before construction may begin.

§ 585.615 What other reports or notices must I submit to BOEM under my approved SAP?

(a) You must notify BOEM in writing within 30 days of completing installation activities approved in your SAP.

(b) You must prepare and submit to BOEM a report annually on November 1 of each year that summarizes your site assessment activities and the results of those activities. BOEM will withhold trade secrets and commercial or financial information that is privileged or confidential from public disclosure under exemption 4 of the FOIA and as provided in § 585.113.

(c) You must submit a certification of compliance annually (or other frequency as determined by BOEM) with certain terms and conditions of your SAP that BOEM identifies under § 585.613(e)(1). Together with your certification, you must submit:

(1) Summary reports that show compliance with the terms and conditions which require certification; and

(2) A statement identifying and describing any mitigation measures and monitoring methods and their effectiveness. If you identified measures that were not effective, you must include your recommendations for new mitigation measures or monitoring methods.

30 CFR Ch. V (7–1–12 Edition)

§ 585.616 [Reserved]

§ 585.617 What activities require a revision to my SAP, and when will BOEM approve the revision?

(a) You must notify BOEM in writing before conducting any activities not described in your approved SAP, describing in detail the type of activities you propose to conduct. We will determine whether the activities you propose are authorized by your existing SAP or require a revision to your SAP. We may request additional information from you, if necessary, to make this determination.

(b) BOEM will periodically review the activities conducted under an approved SAP. The frequency and extent of the review will be based on the significance of any changes in available information and on onshore or offshore conditions affecting, or affected by, the activities conducted under your SAP. If the review indicates that the SAP should be revised to meet the requirements of this part, we will require you to submit the needed revisions.

(c) Activities for which a proposed revision to your SAP will likely be necessary include:

(1) Activities not described in your approved SAP;

(2) Modifications to the size or type of facility or equipment you will use;

(3) Changes in the surface location of a facility or structure;

(4) Addition of a facility or structure not contemplated in your approved SAP;

(5) Changes in the location of your onshore support base from one State to another, or to a new base requiring expansion;

(6) Changes in the location of bottom disturbances (anchors, chains, *etc.*) by 500 feet (152 meters) or greater from the approved locations. If a specific anchor pattern was approved as a mitigation measure to avoid contact with bottom features, any change in the proposed bottom disturbances would likely trigger the need for a revision;

(7) Structural failure of one or more facilities; or

(8) Changes to any other activity specified by BOEM.